AVISON YOUNG



Independent Examination of the Stroud Local Plan Review

Response to Inspector's Matters, Issues and Questions

Matter 8 – Employment Provision

Submitted on behalf of the Nuclear Decommissioning Authority and Magnox

February 2023



Contents

1.	Introduction	•
2.	Matter 8 – Employment Provision	-



1. Introduction

1.1 The following statement responds to the questions raised of relevance to the Nuclear Decommissioning Authority (NDA) and Magnox. The responses are below the stipulated 3,000 word limit.



2. Matter 8 - Employment Provision

Question 8 Former Berkeley Power Station - Delivery Policy El2a

Is the policy sufficiently clear and effective?

Are the suggested wording modifications, to secure improvements to related infrastructure and provide clarity on the distinction between the de-licensed and licensed parts of the site, necessary for effectiveness of the policy?

- 3.1 Previous representations were submitted to Stroud District Council during the Regulation 19
 Consultation stage, in July 2021. This focused on a number of elements within the wording of Delivery Policy El2a.
- 3.2 Firstly, it was appreciated that delivery Policy El2a states that the Berkeley site will be retained for office, B2 and B8 employment uses and for employment related training and education purposes and for operations and uses associated with the decommissioning of the nuclear power station.

 Redevelopment for unrelated alternative uses will not be permitted. The Council subsequently noted their support for this comment.
- 3.3 It was also acknowledged that reference to operations and uses associated with decommissioning was now incorporated within the policy wording in accordance with our previous representations; although further clarity was sought within this policy regarding the differences between the delicensed and licensed elements of the site.
- 3.4 In addition, the NDA and Magnox still considered that the Local Plan Review would benefit from contextualising the on-going decommissioning process on the licensed site; in addition to employment uses and employment related training and education uses within the de-licensed site and the distinction between the two. This would ensure that the Local Plan Review fully accounts for the current operational and future development of the Berkeley site over the Plan period. This approach suggested for the licensed site is consistent with development plans adopted elsewhere in the UK.
- 3.5 The representations further stated that Policy El2a should incorporate the following distinction:
 - The de-licensed site being acceptable for alternative uses, including employment (B1–B8) and related training and education; and
 - The licenced site being acceptable for operations and uses associated with decommissioning, waste management and land remediation on the Nuclear Licensed Site (NLS) in line with national strategies and policies and regulatory requirements.
- 3.6 The Council have since sought to accommodate the above amendments with the Council's comments highlighted in the "Summary of Regulation 20 Responses" document. It was noted that Paragraphs 5.25 and 5.26 include the suggested text put forward by Avison Young to clarify distinctions between the licensed and de-licensed sites.
- 3.7 The suggested wording modifications are important to provide clarity on the distinction between the de-licensed and licensed parts of the Site. This is to ensure that the de-licensed site remains acceptable for alternative uses, including employment (B1-B8) and related training and education, The



licensed site is acceptable for operations and uses associated with decommissioning, waste management and land remediation.

3.8 In light of the above, it is considered that the policy wording and supporting text is acceptable.

Contact details

Enquiries

Matt Verlander 0191 269 0094 matt.verlander@avisonyoung.com

Visit us online avisonyoung.com

Avison Young

Central Square South, Orchard Street, 3rd Floor, Newcastle upon Tyne NE1 3AZ

Copyright © [year]. Avison Young. Information contained in this report was obtained from sources deemed reliable and, while thought to be correct, have not been verified. Avison Young does not guarantee the accuracy or completeness of the information presented, nor assumes any responsibility or liability for any errors or omissions therein. All opinions expressed and data provided herein are subject to change without notice. This report cannot be reproduced, in part or in full, in any format, without the prior written consent of Avison Young.